





Application Diagram SLICE6 AIR – Sensor Connector Options



80000-04110-R
51-p Connector Assy
- solder cup



80000-04123-R
51-p Cable Assy
- 18 in leads
- pigtail termination
- alternate 80000-01275



13006-90560
51-p Connector Assy
- solder cup
- backshell



13006-90760
51-p Cable Assy
- 152mm/6 in leads
- 6 x 7-pin circular connectors (bridge/PR/voltage)
- backshell



13006-90780
51-p Cable Assy
- 152mm/6 in leads
- 3 x 7-pin circular connectors (bridge/PR/voltage)
- 3 x microdot connectors (ICP/IEPE)
- backshell



13006-90790
51-p Cable Assy
- 152mm/6 in leads
- 6 x microdot connectors (ICP/IEPE)
- backshell

13000-30120
1ch, sensor connector Assy



13000-30121
1ch sensor cable Assy
- 5m length
- pigtail termination
*available with 1/4 bridge completion resistor (13000-30122, 90 in length)



SLICE6 AIR SENSOR INPUT
- 51-s connector
- 6 available inputs for BRIDGE/PR/VOLTAGE or IEPE/ICP sensors



Thermocouple connection available
Contact sales@dtsweb.com for more info






Application Diagram SLICE6 AIR – System Connector Options




SLICE6 AIR SYSTEM INPUT

- 25-p connector
- 9-36V
- 2 x Ethernet Ports
- UART for Serial Input/GPS/PPS/IRIG-B
- Control Signals – ON, EVENT, START RECORD, STATUS LED

80000-04111-R
25-p Cable Assy
- solder cup



80000-07010-R
25-p System Cable Assy
-18 in length
- pigtail termination




13006-90570
25-p System Connector Assy
- PCB with solder pads
- backshell




XXXXX-XXXXX

Custom daisy-chain cable assembly
- contact DTS sales





Application Diagram SLICE6 AIR Benchtop Kit – Interface Device Cable Kit






- 13006-90520**
SLICE6 AIR Interface Device Cable Kit
- Interface Device
 - 15V power supply
 - Chain Module
 - Chain Extension Cable
 - Ethernet Return Plug
 - 2 x Ethernet cables
 - Serial Input Connector

13006-90460
Chain Module




Application Diagram SLICE6 AIR Benchtop Kit – Test Device Cable Kit





- 13006-60501**
SLICE6 AIR Test Device Cable Kit
- 25-p connector
 - 12V power supply
 - Ethernet to USB converter
 - 2 x RJ-45 Ethernet Ports
 - screw terminals for Serial Input/GPS/PPS/IRIG-B, ON, EVENT, START RECORD, STATUS LED




Application Diagram SLICE6 AIR Benchtop Kit – Test Device for DS-4



13006-90800
DS-4 – 4 Module Rack




13006-90930
DS-4 Test Device Cable Kit
- 25-p connector
-15V power supply
- 2 x RJ-45 Ethernet Ports
- screw terminals for Serial Input/GPS/PPS/IRIG-B,
ON, EVENT, START RECORD, STATUS LED





Application Diagram SLICE6 AIR - End of Chain Test Cable



13000-60500

End of Chain Device Cable Kit

- System Cable with RJ45 plug, and connections for:
- EOC Interface
- 12 VDC Power Supply
- Ethernet to USB adaptor